

Certificate of Analysis

Certificate Number	Issue Date	Lab Sample ID	Report Status
<i>BAC0787-007</i>	<i>24/9/26</i>	<i>BAC0787-KLOW</i>	<i>final</i>

Section 1 Client and Product Information

Client	<i>Nilah Labs</i>	Contact	
Sample Name	<i>KLOW</i>	Batch Number	<i>NL-26-KLOW-004</i>
Label claim	<i>80mg</i>	Quantity supplied	<i>1 vial</i>
Matrix	<i>Lyophilised powder</i>	Condition on receipt	<i>Blue powder</i>
Container	<i>Glass vial</i>	Storage condition	<i>Ambient</i>
Date Received	<i>18/9/26</i>	Date Analysed	<i>24/9/26</i>

Section 2 Log in Photograph




Section 3 Analytical Test Results

	Instrumentation		Result	Acceptance	Status
Purity	LCMS8040	<i>GHK-Cu</i>	<i>98.9%</i>	➤ 95%	<i>Pass</i>
		<i>KPV</i>	<i>99.2%</i>	➤ 95%	<i>Pass</i>
		<i>BPC-157</i>	<i>99.7%</i>	➤ 95%	<i>Pass</i>
		<i>Thymosin b4</i>	<i>99.8%</i>	➤ 95%	<i>Pass</i>
Identification	LCMS8040	<i>GHK-Cu</i>	<i>Match</i>	Ionisation matches Std	<i>Pass</i>
		<i>KPV</i>	<i>Match</i>	Ionisation matches Std	<i>Pass</i>
		<i>BPC-157</i>	<i>Match</i>	Ionisation matches Std	<i>Pass</i>
		<i>Thymosin b4</i>	<i>Match</i>	Ionisation matches Std	<i>Pass</i>

Section 4 Authorisation

Analyst	CBH
Technical Reviewer	Dr Carolyn Hyde
Date Signed	24/6/26
Authorised Signatory	<i>Carolyn Hyde</i>

Section 5 HPLC at 215nm



Section 6 LCMS

